Letters in Applied Microbiology

Edited by

J.-Y. Maillard

Volume 40, 2005

Copyright © 2005, by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

Print ISSN 0266-8254
Online ISSN 1472-765X

Published by
Blackwell Publishing Ltd
OXFORD BOSTON MELBOURNE BERLIN
COPENHAGEN TOKYO AMES

Contents

Volume 40, Issue 1, January 2005

1 Author Guidelines

7 Involvement of lignin peroxidase in the decolourization of black olive mill wastewaters by *Geotrichum candidum* *L. Ayed, N. Assas, S. Sayadi & M. Hamdi*

12 The influence of environmental adaptation on bacterial genome structure *A. Fadiel, S. Lithwick & F. Naftolin*

19 Contaminant yeast detection in industrial ethanol fermentation must by rDNA-PCR *A.T. de Souza Liberal, E.A. da Silva Filho, J.O.F. de Morais, D.A. Simões & M.A. de Morais Jr*

24 The killing effect of cryptolepine on *Staphylococcus aureus* *I.K. Sawer, M.I. Berry & J.L. Ford*

30 Biodesulfurization using *Pseudomonas delafieldii* in magnetic polyvinyl alcohol beads *S. Guobin, X. Jianmin, G. Chen, L. Huizhou & C. Jiayong*

37 Avoidance of oxidative-stress perturbation in yeast bioprocesses by proteomic and genomic biostrategies? *A. Wiseman*

44 Heterologous expression of the plant coumarate : CoA ligase in *Lactococcus lactis* *M.C. Martínez-Cuesta, M.J. Gasson & A. Narbad*

50 Biodegradation of phenanthrene by the indigenous microbial biomass in a zinc amended soil *K.W. Wong, B.A. Toh, Y.P. Ting & J.P. Obbard*

56 Gene organization and sequences of pediocin AcH/PA-1 production operons in *Pediococcus* and *Lactobacillus* plasmids *K.W. Miller, P. Ray, T. Steinmetz, T. Hanekamp & B. Ray*

63 The use of ribotyping and antibiotic resistance patterns for identification of host sources of *Escherichia coli* strains *M. Samadpour, M.C. Roberts, C. Kitts, W. Mulugeta & D. Alfi*

69 Evaluation of PCR primers from putative transcriptional regulator genes for identification of *Staphylococcus aureus* *D. Liu, M.L. Lawrence & F.W. Austin*

74 Effect of human milk on type 1 and P-fimbrial mRNA expression in intestinal *Escherichia coli* strains *F.L. Nowrouzian, H.-J. Monstein, A.E. Wold & I. Adlerberth*

81 Inhibitory effects of various micro-organisms on the growth of *Helicobacter pylori* *R. Krausse, K. Piening & U. Ullmann*

Volume 40, Issue 2, February 2005

87 Performance of a new chromogenic plating medium for the isolation of *Listeria monocytogenes* from marine environments *A. El Marrakchi, N. Boum'handi & A. Hamama*

92 A plate assay for simultaneous screening of polysaccharide- and protein-degrading micro-organisms *L.N. Ten, W.-T. Im, M.-K. Kim & S.-T. Lee*

99 Fate of *Escherichia coli* O157 and detection of *stx* phage during fermentation of maize, an animal feedstuff *S.M. Avery, L.D. Walters & M.L. Hutchison*

106 Development of a bioactive packaging cellophane using Nisaplin® as biopreservative agent *N.P. Guerra, C.L. Macías, A.T. Agrasar & L.P. Castro*

111 Production of large multienzyme complex by aerobic thermophilic fungus *Chaetomium* sp. nov. MS-017 grown on palm oil mill fibre *T. Ohtsuki, Suyanto, S. Yazaki, S. Ui & A. Mimura*

117 A lack of predatory interaction between rumen ciliate protozoa and Shiga-toxin producing *Escherichia coli* *L.C. Burow, K.S. Gobius, B.A. Vanselow & A.V. Klieve*

123 Production, characterization and evaluation of virulence of an adhesion defective mutant of *Flavobacterium columnare* produced by β-lactam selection *J.A. Bader, C.A. Shoemaker & P.H. Klesius*

128 Rapid monitoring of microbial contamination on herbal medicines by fluorescent staining method *K. Nakajima, K. Nonaka, K. Yamamoto, N. Yamaguchi, K. Tani & M. Nasu*

133 The effect of *Saccharomyces cerevisiae* on the stability of the herbicide glyphosate during bread leavening *F.L. Low, I.C. Shaw & J.A. Gerrard*

138 Characterization of minimal bacteriocin operon from *Prevotella nigrescens* ATCC 25261 *J. Kaewsrichan, C.W.I. Douglas & R. Teanpaisan*

146 Copper amendment of agricultural soil selects for bacterial antibiotic resistance in the field *J. Berg, A. Tom-Petersen & O. Nybroe*

152 *Zymomonas mobilis* subspecies identification by amplified ribosomal DNA restriction analysis *M. Coton, J.M. Laplace & E. Coton*

Volume 40, Issue 3, March 2005

159 Desulphurization of dibenzothiophene and diesel oils by bacteria *S. Labana, G. Pandey & R.K. Jain*

164 Real-time PCR for the detection of *Escherichia coli* O157:H7 in dairy and cattle wastewater *G. Spano, L. Beneduce, V. Terzi, A.M. Stanca & S. Massa*

172 Identification of medicinal off-flavours generated by *Alicyclobacillus* species in orange juice using GC–olfactometry and GC–MS *D. Gocmen, A. Elston, T. Williams, M. Parish & R.L. Rouseff*

178 Novel method for cell immobilization and its application for production of organic acid *M. Iqbal & A. Saeed*

183 The cytotoxic properties of a plant lipid transfer protein involve membrane permeabilization of target cells *M.C. Regente, A.M. Giudici, J. Villalaín & L. de la Canal*

190 Harvesting of *Spirulina platensis* by cellular flotation and growth stage determination *S.-G. Kim, A. Choi, C.-Y. Ahn, C.-S. Park, Y.-H. Park & H.-M. Oh*

195 Isolation and identification of lactic acid bacteria from soil using an enrichment procedure *Y.-S. Chen, F. Yanagida & T. Shinohara*

201 Inactivation of polyketide synthase and related genes results in the loss of complex lipids in *Mycobacterium tuberculosis* H37Rv *S.J. Waddell, G.A. Chung, K.J.C. Gibson, M.J. Everett, D.E. Minnikin, G.S. Besra & P.D. Butcher*

207 Quantification of *Microthrix parvicella* in activated sludge bacterial communities by real-time PCR *A. Kaetzke, D. Jentzsch & K. Eschrich*

212 Acetophenones with selective antimycobacterial activity *L. Rajabi, C. Courreges, J. Montoya, R.J. Aguilera & T.P. Primm*

218 Isolation of lipid- and polysaccharide-degrading micro-organisms from subtropical forest soil, and analysis of lipolytic strain *Bacillus* sp. CR-179 *C. Ruiz, F.I.J. Pastor & P. Diaz*

228 Molecular cloning of levan fructotransferase gene from *Arthrobacter ureafaciens* K2032 and its expression in *Escherichia coli* for the production of difructose dianhydride IV *C.H. Kim, E.K. Jang, S.H. Kim, K.H. Jang, S.A. Kang, K.B. Song, O.S. Kwon & S.K. Rhee*

235 Erratum

Volume 40, Issue 4, April 2005

237 Acid-tolerant *Listeria monocytogenes* persist in a model food system fermented with nisin-producing bacteria *M. Bonnet & T.J. Montville*

243 Controlling production of brominated cyclic depsipeptides by *Pseudoalteromonas maricaloris* KMM 636^T *M.P. Sobolevskaya, O.F. Smetanina, M. Speitling, L.S. Shevchenko, P.S. Dmitrenok, H. Laatsch, T.A. Kuznetsova, E.P. Ivanova & G.B. Elyakov*

249 Dehydroepiandosterone induction of increased resistance to vancomycin in *Staphylococcus aureus* clinical isolates (MSSA, MRSA) *B.J. Plotkin, A. Morejon, R.A. Laddaga, S.M. Viselli, J. Tjhio & P. Schreckenberger*

255 Main compounds responsible for off-odour of strawberries infected by *Phytophthora cactorum* *H.H. Jeleń, J. Krawczyk, T.O. Larsen, A. Jarosz & B. Gołębniak*

260 Phylloplane bacteria increase seedling emergence, growth and yield of field-grown groundnut (*Arachis hypogaea* L.) *G.K. Kishore, S. Pande & A.R. Podile*

269 Development of an IMS–PCR assay for the detection of *Mycobacterium avium* ssp. *paratuberculosis* in water *L. Whan, H.J. Ball, I.R. Grant & M.T. Rowe*

274 Evaluation of candidate probiotic strains for gilthead sea bream larvae (*Sparus aurata*) using an *in vivo* approach *P. Makridis, S. Martins, T. Vercauteren, K. Van Driessche, O. Decamp & M.T. Dinis*

278 β-D-glucuronidase activity assay to assess viable *Escherichia coli* abundance in freshwaters *T. Garcia-Armisen, P. Lebaron & P. Servais*

283 Effect of cereal brans on *Lentinula edodes* growth and enzyme activities during cultivation on forestry waste *E.M. Silva, A. Machuca & A.M.F. Milagres*

289 Molecular *vs* culture methods for the detection of bacterial faecal indicators in groundwater for human use *M.M. Lleo, B. Bonato, M.C. Tafi, C. Signoretto, C. Pruzzo & P. Canepari*

295 Comparison of environmental profiles for growth and deoxynivalenol production by *Fusarium culmorum* and *F. graminearum* on wheat grain *R. Hope, D. Aldred & N. Magan*

301 Detection of viable and dead *Listeria monocytogenes* on gouda-like cheeses by real-time PCR *K. Rudi, K. Naterstad, S.M. Dromtorp & H. Holo*

Volume 40, Issue 5, May 2005

307 Morphology and kinetics studies on cephalosporin C production by *Cephalosporium acremonium* M25 in a 30-l bioreactor using a mixture of inocula *J.H. Kim, J.S. Lim, C.H. Kim & S.W. Kim*

312 Relationship between size and mass transfer resistance in aerobic granules *Y.-Q. Liu, Y. Liu & J.-H. Tay*

316 Kinetics and thermodynamics of ethanol production by a thermotolerant mutant of *Saccharomyces cerevisiae* in a microprocessor-controlled bioreactor *M.I. Rajoka, M. Ferhan & A.M. Khalid*

322 Drug resistance and pulsed-field gel electrophoresis patterns of *Lactococcus garvieae* isolates from cultured *Seriola* (yellowtail, amberjack and kingfish) in Japan *M. Kawanishi, A. Kojima, K. Ishihara, H. Esaki, M. Kijima, T. Takahashi, S. Suzuki & Y. Tamura*

329 Mutational effect for stability in a conserved region of thermolysin *Y. Matsumiya, K. Nishikawa, K. Inouye & M. Kubo*

335 Degradation of keratin and collagen containing wastes by newly isolated thermoactinomycetes or by alkaline hydrolysis *A. Gousterova, D. Braikova, I. Goshev, P. Christov, K. Tishinov, E. Vasileva-Tonkova, T. Haertlé & P. Nedkov*

341 Inactivation of *Escherichia coli*, *Listeria monocytogenes*, *Pseudomonas aeruginosa* and *Staphylococcus aureus* on stainless steel and glass surfaces by neutral electrolysed water *M.A. Deza, M. Araujo & M.J. Garrido*

347 Usage of an intronic promoter for stable gene expression in *Saccharomyces cerevisiae* *L. Li, S. Shen, P. Jiang, J. Hong, J. Fan & W. Huang*

353 Biodiversity of *Lactobacillus sanfranciscensis* strains isolated from five sourdoughs *M. Kitahara, S. Sakata & Y. Benno*

358 Screening of bacterial associates of marine sponges for single cell oil and PUFA *S. Patnayak & A. Sree*

364 Specific molecular detection of *Carnobacterium piscicola* SF668 in cold smoked salmon *E. Pellé, X. Dousset, H. Prévost & D. Drider*

369 Genetic heterogeneity among *Vibrio alginolyticus* isolated from shrimp farms by PCR fingerprinting *M.R. George, K.R. John, T. Iyappan & M.J.P. Jeyaseelan*

373 Fluctuations in the occurrence of *Escherichia coli* O157:H7 on a Norwegian farm *Y. Wasteson, G.S. Johannessen, T. Bruheim, A.M. Urdahl, K. O'Sullivan & L.M. Rorvik*

378 Enhanced intracellular glutathione synthesis and excretion capability of *Candida utilis* by using a low pH-stress strategy *W. Nie, G. Wei, G. Du, Y. Li & J. Chen*

385 Growth of various intestinal bacteria on alternansucrase-derived oligosaccharides *S.M. Holt, C.M. Miller-Fosmore & G.L. Côté*

391 Adherence and colonization properties of *Lactobacillus rhamnosus* TB1, a broiler chicken isolate *T. Bouzaine, R.D. Dauphin, Ph. Thonart, M.C. Urdaci & M. Hamdi*

Volume 40, Issue 6, June 2005

397 Carbon dioxide increases acid resistance in *Escherichia coli* *L. Sun, T. Fukamachi, H. Saito & H. Kobayashi*

401 Optimization of glutamate concentration and pH for H_2 production from volatile fatty acids by *Rhodopseudomonas capsulata* *X.-Y. Shi & H.-Q. Yu*

407 Multiplex PCR assay for toxinotyping *Clostridium perfringens* isolates obtained from Finnish broiler chickens *A. Heikinheimo & H. Korkeala*

412 Effect of oxidative stress and exogenous β-carotene on sclerotial differentiation and carotenoid yield of *Penicillium* sp. PT95 *J.R. Han, W.J. Zhao, Y.Y. Gao & J.M. Yuan*

418 Persistence of *Campylobacter jejuni* on surfaces in a processing environment and on cutting boards *I. Cools, M. Uyttendaele, J. Cerpentier, E. D'Haese, H.J. Nelis & J. Debevere*

424 Antisense inhibition of xylitol dehydrogenase gene, *xdh1* from *Trichoderma reesei* *T.H. Wang, Y.H. Zhong, W. Huang, T. Liu & Y.W. You*

430 Durancin L28-1A, a new bacteriocin from *Enterococcus durans* L28-1, isolated from soil *F. Yanagida, Y. Chen, T. Onda & T. Shinohara*

436 Identification of *sulI* allele of dihydropteroate synthase by representational difference analysis in *Haemophilus parasuis* serovar 2 *M.L. del Rio, J. Navas-Mendez, C.B. Gutierrez-Martin, J.I. Rodriguez-Barbosa & E.F. Rodriguez-Ferri*

443 Removal of micro-organisms in a small-scale hydroponics wastewater treatment system *J. Ottoson, A. Norström & G. Dalhammar*

448 Decontamination with vaporized hydrogen peroxide is effective against *Mycobacterium tuberculosis* *A. Kahnert, P. Seiler, M. Stein, B. Aze, G. McDonnell & S.H.E. Kaufmann*

453 Characterization of cold-active pectate lyases from psychrophilic *Mrakia frigida* *R. Margesin, V. Fauster & P.-A. Fonteyne*

460 The synergistic activity between Cry1Aa and Cry1c from *Bacillus thuringiensis* against *Spodoptera exigua* and *Helicoverpa armigera* *J.-L. Xue, Q.-X. Cai, D.-S. Zheng & Z.-M. Yuan*

466 The vinification of partially dried grapes: a comparative fermentation study of *Saccharomyces cerevisiae* strains under high sugar stress *P. Malacrinò, E. Tosi, G. Caramia, R. Prisco & G. Zapparoli*

473 Regulation of pyrimidine synthesis in *Pseudomonas resinovorans* *T.P. West*

479 Rapid detection of viruses using electrical biochips and anti-virion sera *M. Łoś, J.M. Łoś, L. Blohm, E. Spillner, T. Grunwald, J. Albers, R. Hintsche & G. Węgrzyn*

486 Microbiological quality changes in the intestine of hybrid tilapia (*Oreochromis niloticus* × *Oreochromis aureus*) in fresh and frozen storage condition *A.H. Al-Harbi & M.N. Uddin*

491 Phenotypic and genotypic characterization of sorbitol-negative or slow-fermenting (suspected O157) *Escherichia coli* isolated from milk samples in Lombardy region *C. Picozzi, R. Foschino, A. Heuvelink & R. Beumer*

497 A new *Hypocrea* strain producing harzianum A cytotoxic to tumour cell lines *H.B. Lee, Y. Kim, H.Z. Jin, J.J. Lee, C.-J. Kim, J.Y. Park & H.S. Jung*

504 Index